

Claims

1

2

3 1. A method, including steps of
4 sending a first certificate from a first entity, said first certificate including
5 security information regarding at least a second entity, said first certificate including
6 information authenticating a second certificate from said second entity; and
7 sending said second certificate from said second entity;
8 whereby a recipient of said first certificate and said second certificate can
9 authenticate from information therein a first set of security information to associate with
10 said first entity and a second set of security information to associate with said second
11 entity.

12

13 2. A method as in claim 1, wherein at least one of the following
14 includes a root certificate: said first certificate, said second certificate.

15

16 3. A method as in claim 1, wherein
17 said first certificate includes both an expiration date and information
18 authenticating a third certificate; and
19 said third certificate includes an expiration date other than said expiration
20 date for said first certificate.

21

1 4. A method as in claim 1, wherein said first certificate includes
2 information authenticating a certificate from said first entity other than said first
3 certificate.

4

5 5. A method as in claim 1, wherein said first certificate includes
6 information authenticating a future intended version of said first certificate.

7

8 6. A method as in claim 1, wherein said second certificate includes
9 information authenticating a third certificate.

10

11 7. A method as in claim 1, wherein
12 said second certificate including security information regarding at least a
13 third entity, said second certificate including information authenticating a third certificate
14 from said third entity;
15 and including steps of sending said third certificate from said third entity

16

17 8. A method as in claim 1, wherein said security information includes a
18 set of authorizations for said second entity.

19

20 9. An article of manufacture, said article including a computer data
21 signal embodied in readable medium, said readable medium including at least one of the
22 following: a carrier wave, a memory, or a storage device; said data signal including

1 a first certificate indicating a first entity as its source and including (a)
2 security information regarding at least a second entity, and (b) information authenticating
3 a second certificate from said second entity.

4

5 10. An article as in claim 9, including a second certificate indicating said
6 second entity as its source; whereby a recipient of said first certificate and said second
7 certificate can authenticate from information therein a first set of security information to
8 associate with said first entity and a second set of security information to associate with
9 said second entity.

10

11 11. An article as in claim 9, wherein at least one of the following
12 includes a root certificate: said first certificate, said second certificate.

13

14 12. An article as in claim 9, wherein
15 said first certificate includes both an expiration date and information
16 authenticating a third certificate; and
17 said third certificate includes an expiration date other than said expiration
18 date for said first certificate.

19

20 13. An article as in claim 9, wherein said first certificate includes
21 information authenticating a certificate from said first entity other than said first
22 certificate.

1

2 14. An article as in claim 9, wherein said first certificate includes
3 information authenticating a future intended version of said first certificate.

4

5 15. An article as in claim 9, wherein said second certificate includes
6 information authenticating a third certificate.

7

8 16. An article as in claim 9, wherein
9 said second certificate including security information regarding at least a
0 third entity, said second certificate including information authenticating a third certificate
1 from said third entity;

2 and including steps of sending said third certificate from said third entity

3 17. An article as in claim 9, wherein said security information includes a
4 set of authorizations for said second entity.

16

Ad 17

17